

INDEPENDENT LOCAL ELECTIONS Commission
ADDRESS ONLY: 1000 UNIVERSITY BLVD., SUITE 201
2025 GOVERNORIAL ELECTION

Figure 1

Rate	87.046	746	100
Long-Commitment Rate	10.94	746	100
Regulation Rate	75.078	746	100
Regulation Rate	0.0000	746	100

1. Number of hours in the hospital	2, 3, 4
2. Number of treatment sessions	1, 3, 5
3. Number of health improvement measures the patient agreed	2, 3, 4
4. Number of health improvement measures the patient agreed	1, 3, 5
5. Number of health improvement measures the patient agreed	2, 3, 4
6. Number of health improvement measures the patient agreed	1, 3, 5
7. Number of health improvement measures the patient agreed	2, 3, 4
8. Number of health improvement measures the patient agreed	1, 3, 5
9. Number of health improvement measures the patient agreed	2, 3, 4
10. Number of health improvement measures the patient agreed	1, 3, 5

[illegible]

Chlorine 54.5 $\rightarrow$ atomic mass of chlorine is 54.5 amu
 Chlorine 54.5 $\rightarrow$ atomic mass of chlorine is 54.5 amu
 Chlorine 54.5 $\rightarrow$ atomic mass of chlorine is 54.5 amu